



For Emergency Use Only

Dow AgroSciences Canada Inc. Suite 2100, 450 – 1 Street S.W. Calgary, Alberta T2P 5H1

Entrust* 80 W Naturalyte* Insect Control Product

GROUP	5	INSECTICIDE
-------	---	-------------

Emergency Use Only in British Columbia until August 31, 2009 for Control of Clearwing Moth (*Synanthedon myopaeformis*) on apple trees.



Listed by the Organic Materials Review Institute (OMRI) for use in organic production

COMMERCIAL

READ THE LABEL AND BOOKLET BEFORE USING
KEEP OUT OF REACH OF CHILDREN

GUARANTEE: spinosad 80%

REGISTRATION NO. 27825 PEST CONTROL PRODUCTS ACT

MAY CAUSE EYE AND SKIN IRRITATION

NET CONTENTS: 4 x 113.4 g packets

INDIVIDUAL PACKETS CANNOT BE SOLD SEPARATELY

Dow AgroSciences Canada Inc.

Suite 2100, 450 - 1 Street S.W.

Calgary, Alberta

T2P 5H1

1-800-667-3852

*Trademark of Dow AgroSciences LLC

™Trademark of Organic Materials Review Institute

PRECAUTIONS

MAY CAUSE EYE AND SKIN IRRITATION

KEEP OUT OF REACH OF CHILDREN

DO NOT APPLY BY AIR

Avoid contact with eyes, skin and clothing. During mixing and loading, wear coveralls over long-sleeved shirt and long pants, single use dust mask, shoes plus socks and chemical resistant gloves. During application, clean-up and repair activities wear long-sleeved shirt and long pants, shoes plus socks and chemical resistant gloves. Wash thoroughly with soap and water after handling.

Do not enter, or allow workers, adults, children or pets to enter into treated areas until pesticide residues have dried.

No more than 80 ha/day of any crop may be treated at the given rates.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at www.croplife.ca.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

No specific antidote. Employ supportive care. Treatment should be based on the judgment of the physician in response to reactions of the patient.

AGRICULTURAL CHEMICAL

Do not ship or store with food, feeds, drugs or clothing.

ENVIRONMENTAL PRECAUTIONS

This product is highly toxic to bees exposed to direct treatment, drift or residues on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment area. This product is harmful to parasitoids and predatory mites and slightly harmful to foliage-dwelling predators. Care should be taken when using this product in an integrated pest management program where users are relying on the presence of beneficial arthropods.

This product is highly toxic to aquatic invertebrates. Do not contaminate aquatic habitats, such as lakes, rivers, sloughs, ponds, coulees, prairie potholes, creeks, marshes, streams, reservoirs, and wetlands, when cleaning and rinsing spray equipment or containers.

To reduce runoff from treated areas into aquatic habitats, consider the characteristics and conditions of the site before treatment. Site characteristics and conditions that may lead to runoff include, but are not limited to: heavy rainfall, moderate to steep slope, bare soil, poorly draining soil (e.g., soils that are compacted or fine textured such as clay).

Avoid application of this product when heavy rain is in the forecast, or immediately after a rainfall.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip (buffer zone) between the treated area and the edge of the water body.

DO NOT apply during periods of dead calm. Avoid application of this product when winds are gusty.

STORAGE

Avoid freezing. Store in original container in a secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Keep away from food and feed.

DISPOSAL

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

Entrust 80 W Naturalyte Insect Control Product for Control of Clearwing Moth (*Synanthedon myopaeformis*) on apple trees

DIRECTIONS FOR USE

Read and understand the entire label before using this product.

Entrust 80 W Naturalyte Insect Control Product contains the active ingredient spinosad which is derived from a naturally occurring organism. Consult local pest regulatory authorities about use permits that may be required.

For the control of Clearwing Moth on apple trees, apply 75 grams of Entrust 80 W Naturalyte Insect Control Product in up to 1500 litres of water per hectare. Using a handgun sprayer, direct the spray to cover the lower trunk of the tree, particularly the graft union and any pruning cuts. Thorough coverage is essential for control of this pest. Use pheromone monitoring traps to determine the timing of adult emergence. Make the first application within 10 days of the first adult emergence and repeat applications at 7 to 10 day intervals throughout the period of adult activity up to a maximum of 6 applications. Adult activity may occur approximately from early June to mid August, but monitoring is required to ensure proper timing.

Resistance Management Recommendations

For resistance management, please note that Entrust 80 W Naturalyte Insect Control Product contains a Group 5 insecticide. Any insect population may contain individuals naturally resistant to Entrust 80 W Naturalyte Insect Control Product and other Group 5 insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance management strategies should be followed.

To delay insect resistance:

- Where possible, rotate the use of Entrust 80 W Naturalyte Insect Control Product or other Group 5 insecticides with different groups that control the same pests in a field.
- Use tank mixtures with insecticides from a different group when such use is permitted.
- Insecticide use should be based on an IPM program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices. Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance, contact Dow AgroSciences Canada Inc. at 1-800-667-3852 or at www.dowagro.ca

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in any way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

051509